

Chin Implant

Augmentation of the chin with a silicone implant to achieve balance especially between the chin and the nose and enhance the overall features of the face.

Price: 700 USD


Pre- Op Instructions:

- ◆ Consultation with surgeon
- ◆ Stop smoking & alcohol intake at least 2 weeks before surgery
- ◆ Anticoagulants, vitamins, hormones (including birth control pills), anti-depressants & some other medications also to be stopped at least 2 weeks before surgery.

NOTE: Please provide Yanhee with a complete list of medications each patient is taking so proper advice can be given as to which medications should or shouldn't be stopped.

Anesthesia: Local anesthesia with sedation

Duration: 30 minutes to 1 hour



- NOTE:
1. Prices are subject to change without prior notice.
 2. Further details of procedures may be requested through e-mail.

Website: www.yanhee.net E-mail: inter_contact@yanhee.net, info@yanhee.net
Hotline: (+66) 02-879-0300 ext. 7 (available 7AM-10PM Bangkok Local Time)



BEFORE


AFTER

Procedure:

- ◆ An incision is made either inside the mouth (along the lower lip) or on the skin underneath the chin
- ◆ The skin is separated from the bone to create a pocket
- ◆ The silicone implant is positioned over the bone
- ◆ The wound is closed with stitches
- ◆ Pressure dressing is applied over the wound

Post- Op Instructions:

- ◆ Normal activities may be resumed the following day
- ◆ Sleep on 2 pillows/keep head elevated so as not to aggravate swelling
- ◆ Apply cold compress to the area for 48 hrs. (swelling subsides 48-72 hrs)
- ◆ If present, bruising and swelling will fade in 2 wks
- ◆ Dental hygiene is important especially for intra-oral incisions
- ◆ Avoid lifting heavy objects for the 1st 10 days
- ◆ Avoid aerobic exercises or any contact sports 4-6 wks post-op
- ◆ Follow-up with the doctor and stitch removal (extra-oral incision) will be 7 days after surgery
- ◆ Some may opt to take 2 weeks off from work



Yanhee International Hospital
PLASTIC SURGERY CENTER